


Harte Greifspannbacken

GGK für Backenschnellwechsel

Kreuzversatz


Für SMW-AUTOBLOK-Futter



Typ	Id.-Nr.	B	H	T	G	N	S	b	L	kg/ Satz	SMW- AUTOBLOK	*Spannbereich Ø		*Spannbereich Ø	
												Außen-A ₁	Innen-J ₁	Außen-A ₂	Innen-J ₂
GGK 1751	012464	25	40	16	M5	8	18	32	64	0,9	KNCS-N 140	28-53	125-162	-	-
GGK 1752	012465								68	1,0		36-56	128-168	-	-
GGK 1753	012466								60	1,0		55-81	101-135	-	-
GGK 1754	012467								56	0,9		80-105	75-109	-	-
GGK 1751	012464	25	40	16	M5	8	18	32	64	0,9	KNCS-N 170	25-62	133-171	33-80	155-190
GGK 1752	012465								68	1,0	HG-N 160	32-61	134-172	42-79	151-181
GGK 1753	012466								60	1,0		52-89	107-145	70-107	125-163
GGK 1754	012467								56	0,9	HG-F 160	77-115	81-118	95-133	99-137
GGK 2001	012469	28	45	20	M5	10	20	40	87	1,9	KNCS-N 210	29-59	187-252	36-87	-
GGK 2002	012470								66	1,3	KNCS-NB 210	57-122	121-186	94-150	158-215
GGK 2003	012471								66	1,3	HG-N 210	93-149	85-140	131-187	122-178
GGK 2004	012472			15					85	1,7			62-100		72-137
GGK 2001	012469	28	45	20	M5	10	20	40	87	1,9	KNCS-N 225	30-69	-	45-106	-
GGK 2002	012470								66	1,3		67-132	131-197	105-170	169-235
GGK 2003	012471								66	1,3		104-169	95-160	141-207	134-199
GGK 2004	012472			15					85	1,7		-	68-110	-	74-148
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS-N 260	45-85	197-274	61-148	254-342
GGK 2502	012474								72	2,3	KNCS-NB 260	78-154	132-208	141-218	195-272
GGK 2503	012475								78	2,6	HG-N 260	107-184	109-175	159-247	152-238
GGK 2504	012476								108	3,2		-	-	-	80-156
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS-N 275	49-100	201-289	65-163	258-357
GGK 2502	012474								72	2,3		82-169	136-223	145-233	199-287
GGK 2503	012475								78	2,6		111-199	113-190	163-262	156-253
GGK 2504	012476								108	3,2		-	-	-	84-171
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS-N 315	34-100	210-300	-	300-370
GGK 2502	012474								72	2,3	KNCS-NB 315	90-175	-	170-262	-
GGK 2503	012475								78	2,6	HG-N 315	-	110-210	206-292	-
GGK 2505	012477			15					84	2,8		-	82-150	-	-
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS-N 340	60-126	236-326	-	326-396
GGK 2502	012474								72	2,3		116-201	-	196-288	-
GGK 2503	012475								78	2,6		-	136-236	232-318	-
GGK 2504	012476								84	2,8		-	108-186	-	-
GGK 4001	012478	50	55	25	M8	12	26	54	104	4,8	KNCS-N 400	78-188	258-378	143-263	333-453
GGK 4002	012479								91	3,5	KNCS-NB 400	-	140-263	258-378	-
GGK 4003	012480								147	3,6	HG-N 400	-	118-243	-	-
GGK 5001	012481	60	74	35	M8	18	30	60	125	8,8	KNCS-N 500	100-210	280-420	210-350	415-560
GGK 5002	012482								108	6,7	KNCS-NB 500	-	155-295	330-470	-
GGK 5003	012483	50	63	25	M8	18	30	60	130	6,2	HG-N 500	-	100-240	-	-
GGK 5001	012481	60	74	35	M8	18	30	60	125	8,8	KNCS-N 630	80-240	265-450	240-440	460-650
GGK 5002	012482								108	6,7	KNCS-NB 630	-	140-320	380-560	-
GGK 5003	012483	50	63	25	M8	18	30	60	130	6,2	HG-N 630	-	100-240	-	-

* Spannbereich nur gültig für Futtertyp KNCS-N und KNCS-NB



Spannbereiche



Auflagebolzen

ALB

Typ	Id.-Nr.	G	H	SW
ALB 505	016510	M5	5	10
ALB 510	016508		10	
ALB 515	016509		15	
ALB 605	016513	M6	5	10
ALB 610	016511		10	
ALB 615	016512		15	
ALB 620	017602		20	
ALB 805	017603	M8	5	13
ALB 810	016514		10	
ALB 815	016515		15	
ALB 820	016516		20	
ALB 825	081191		25	



Seite 100




Seite 97
Seite 143

Harte Greifspannbacken

GGK für Backenschnellwechsel


Kreuzversatz

für SMW-Futter



Typ	Id.-Nr.	B	H	T	G	N	S	b	L	kg/ Satz	SMW	Spannbereich Ø		Spannbereich Ø	
												Außen-A ₁	Innen-J ₁	Außen-A ₂	Innen-J ₂
GGK 1751	012464	25	40	16	M5	8	18	32	64	0,9	KNCS 175	25-58	138-168	38-72	
GGK 1752	012465								68	1,0					
GGK 1753	012466								60	1,0					
GGK 1754	012467								56	0,9					
GGK 2001	012469	28	45	20	M5	10	20	40	87	1,9	KNCS 200 KNCS 210	60-100	125-165	95-135	160-200
GGK 2002	012470								66	1,3					
GGK 2003	012471								66	1,3					
GGK 2004	012472			15					85	1,7					
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS 250	40-64	190-250	64-128	252-310
GGK 2502	012474								72	2,3					
GGK 2503	012475								78	2,6					
GGK 2504	012476								108	3,2					
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS 260	40-75	193-266	65-135	255-330
GGK 2502	012474								72	2,3					
GGK 2503	012475								78	2,6					
GGK 2504	012476								108	3,2					
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS 315	49-95	202-288	95-180	288-370
GGK 2503	012475								78	2,6					
GGK 2505	012477			15					84	2,8					
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	KNCS 315-91	45-110	210-200	110-200	300-370
GGK 2503	012475								78	2,6					
GGK 2505	012477			15					84	2,8					
GGK 4001	012478	50	55	25	M8	12	26	54	104	4,8	KNCS 400	50-160	230-350	115-235	305-425
GGK 4002	012479								91	3,5					
GGK 4003	012480								147	3,6					
GGK 5001	012481	60	74	35	M8	18	30	60	125	8,8	KNCS 500	80-190	260-400	170-310	375-520
GGK 5002	012482								108	6,7					
GGK 5003	012483	50	63	25	M8	18	30	60	130	6,2					
GGK 5001	012481	60	74	35	M8	18	30	60	125	8,8	KNCS 630	80-240	265-450	240-440	460-650
GGK 5002	012482								108	6,7					
GGK 5003	012483	50	63	25	M8	18	30	60	130	6,2					

Spannbereiche





Backenschnellwechsel
System SMW

Auflagebolzen

ALB

Typ	Id.-Nr.	G	H	SW
ALB 505	016510	M5	5	10
ALB 510	016508		10	
ALB 515	016509		15	
ALB 605	016513	M6	5	10
ALB 610	016511		10	
ALB 615	016512		15	
ALB 620	017602	M8	20	13
ALB 805	017603		5	
ALB 810	016514		10	
ALB 815	016515		15	
ALB 820	016516		20	
ALB 825	081191		25	



Seite 100



Seite 97


Seite 143

Harte Greifspannbacken

GGK für Backenschnellwechsel

Kreuzversatz

für Schunk-Futter



Typ	Id.-Nr.	B	H	T	G	N	S	b	L	kg/ Satz	Schunk	Spannbereich Ø Außen-A ₁	Spannbereich Ø Innen-J ₁	Spannbereich Ø Außen-A ₂	Spannbereich Ø Innen-J ₂
GGK 1751	012464	25	40	16	M5	8	18	32	64	0,9	ROTA THW 165	25-50	-	-	-
GGK 1752	012465								68	1,0	ROTA THW plus 165		133-160	38-67	
GGK 1753	012466								60	1,0	ROTA-G 160		105-134	66-95	
GGK 1754	012467								56	0,9	THW 165		78-106	95-125	
GGK 2001	012469	28	45	20	M5	10	20	40	87	1,9	ROTA THW 210	30-55	185-230	45-94	-
GGK 2002	012470								66	1,3	ROTA THW plus 215	60-110	130-178	100-145	165-215
GGK 2003	012471								66	1,3	ROTA-G 200	100-150	90-135	140-185	130-175
GGK 2004	012472			15					85	1,7	THW 210-R	-	55-84	-	70-120
											ROTA THWB 210				
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	ROTA-THW 250	35-70	200-265	65-138	265-330
GGK 2502	012474								72	2,3	ROTA THW plus 260	80-145	130-195	143-205	190-260
GGK 2503	012475								78	2,6	ROTA-G 250	110-175	100-165	174-237	165-230
GGK 2504	012476								108	3,2	THW 250/265-R	-	-	-	80-145
											ROTA NCW 265				
GGK 2501	012473	40	50	22	M6	12	20	40	94	3,0	ROTA THW 315	40-92	205-280	94-179	294-370
GGK 2502	012474								72	3,0	ROTA THW plus 315	85-161	135-210	170-249	219-300
GGK 2503	012475								78	2,6	ROTA-G 315	115-190	105-180	203-278	194-270
GGK 2505	012477			15					84	2,8	ROTA- NCW 315	-	85-150	-	-
											THW 315-R				
GGK 4001 ¹⁾	012478	50	55	25	M8	12	26	54	104	4,8	ROTA THW 400	50-162	230-350	118-240	305-430
GGK 4002 ¹⁾	012479								91	3,5	THW 400-R	162-283	110-230	240-360	190-308
GGK 4003 ¹⁾	012480								147	3,6	ROTA-G 400	-	100-220	-	-
											ROTA THWB 315				
GGK 5001 ²⁾	012481	60	74	35	M8	18	30	60	125	8,8	ROTA THW 500	80-190	260-400	170-310	380-520
GGK 5002 ²⁾	012482								108	6,7	ROTA-G 500	170-310	140-280	265-405	260-400
GGK 5003 ²⁾	012483	50	63	25	M8	18	30	60	130	6,2	THW 500-R	-	100-210	-	-
GGK 5001	012481	60	74	35	M8	18	30	60	125	8,8	ROTA THW 630	80-230	260-445	220-430	430-640
GGK 5002	012482								108	6,7	THW 630-R	170-350	140-325	315-525	310-520
GGK 5003	012483	50	63	25	M8	18	30	60	130	6,2			100-250		



1) Spannbereich nur gültig Futter Ø 400

2) Spannbereich nur gültig Futter Ø 500


Auflagebolzen

ALB

Typ	Id.-Nr.	G	H	SW
ALB 505	016510	M5	5	10
ALB 510	016508		10	
ALB 515	016509		15	
ALB 605	016513	M6	5	10
ALB 610	016511		10	
ALB 615	016512		15	
ALB 620	017602		20	
ALB 805	017603	M8	5	13
ALB 810	016514		10	
ALB 815	016515		15	
ALB 820	016516		20	
ALB 825	081191		25	



Seite 100



Seite 97
Seite 143