# ■ To bore jaws on the clamping chuck

# ADS, Id. No. 082689

### Parts included:

- Packing box
- Boring rings 36 pieces
- Loading tool



# Applications external clamping internal clamping

# The advantages of the SMW-AUTOBLOK boring rings for jaws:

- Complete set to bore all dia. from 20 to 150 mm.
- Set consisting of 36 rings Ø 20 50 mm each stepped 2 mm. From Ø 50 150 mm stepped in 5 mm increments.
- Clearly organized in packing box.
- Rings from Ø 105 mm and up have 3 tapped holes for clamping bolts to machine jaws for internal gripping.
- Rigid design. Rings are 10 mm thick, quenched for greater durability.
- Loading tool is used for the safe insertion of the rings without danger of injuries.

# **Recommendations:**

For highest repeatability and accuracy please follow these instructions:

- Always tighten mounting bolts of the top jaws with a torque wrench.
- Always position boring rings as close as possible to the clamping area.
- Always bore top jaws at machining pressure.

# ■ With 2 different fine serrations to clean and dress top jaws

### ■ With fine serration inch / metric



SMW-AUTOBLOK	ld. No.	Serration		kg
Туре		upper side	lower side	
RPS-D	081912	1/16" x 90°	3/32" x 90°	7.8
RPS-M	081914	1.5 x 60°	3 x 60°	7.8
RPS-MD	081913	1.5 x 60°	1/16" x 90°	7.8

**Extra grinding paste:** Id. No. 037133

### Parts included:

- Dress and cleaning plate
- 1 tube of grinding paste
- Wooden box


# Dress and cleaning plate RPS

- Dress and cleaning plate, hardened, precision ground serrations.
- 2 different serrations, on the upper and lower side of the plate. Just turn it!
- Rapid cleaning of the top jaws serration. Swarf and dirt is accumulated in the diagonal groove.
- Dressing of light damage on the serration by using the grinding compound.

# Dressing and cleaning of serration




Apply grinding compound (corn 320) near the outer edge.



Dirty / damaged serration



Put the jaw on the grinding compound and move it back and forth, with a light pressure.



Serration after dressing and cleaning